

Data Sheets For Aluminum Marquee **Structures**

For more information on our products and services visit our website:

http://www.crockersmarqueemanufacturing.co.uk



SIZE –2mtr WIDE	SPECIFICATION
EAVE HEIGHT	2.20M
APEX HEIGHT	2.60M
BAY-LENGTH	3.0M
ROOF PITCH	22 DEGREES
ALUMINIUM PROFILE	80mm X 40mm BOX SECTION /
	ANODISED TO AA20
LONGEST LENGTH	3.50M
FIRST BAY WEIGHT	170KG
ADDITIONAL BAY WEIGHT	80KG
MAXIMUM LOAD AT APEX	100KG
ROOF & WALL PVC	650gm / FLAME RETARDANT TO
	BS5438 / M2
WIND LOADING	56MPH

For more information on our products and services visit our website:

http://www.crockersmarqueemanufacturing.co.uk



SIZE –3mtr WIDE	SPECIFICATION
EAVE HEIGHT	2.20M
APEX HEIGHT	2.85M
BAY-LENGTH	3.0M
ROOF PITCH	22 DEGREES
ALUMINIUM PROFILE	80mm X 40mm BOX SECTION /
	ANODISED TO AA20
LONGEST LENGTH	3.50M
FIRST BAY WEIGHT	185KG
ADDITIONAL BAY WEIGHT	90KG
MAXIMUM LOAD AT APEX	100KG
ROOF & WALL PVC	650gm / FLAME RETARDANT TO
	BS5438 / M2
WIND LOADING	56MPH

For more information on our products and services visit our website:

http://www.crockersmarqueemanufacturing.co.uk



SIZE –6mtr WIDE	SPECIFICATION
EAVE HEIGHT	2.20M
APEX HEIGHT	3.50M
BAY-LENGTH	3.0M
ROOF PITCH	22 DEGREES
ALUMINIUM PROFILE	80mm X 40mm BOX SECTION /
	ANODISED TO AA20
LONGEST LENGTH	3.50M
FIRST BAY WEIGHT	265KG
ADDITIONAL BAY WEIGHT	115KG
MAXIMUM LOAD AT APEX	100KG
ROOF & WALL PVC	650gm / FLAME RETARDANT TO
	BS5438 / M2
WIND LOADING	56MPH

For more information on our products and services visit our website:

http://www.crockersmarqueemanufacturing.co.uk



SIZE –9mtr WIDE	SPECIFICATION
EAVE HEIGHT	2.20M
APEX HEIGHT	4.19M
BAY-LENGTH	3.0M
ROOF PITCH	22 DEGREES
ALUMINIUM PROFILE	106mm X 59mm BOX SECTION /
	ANODISED TO AA20
LONGEST LENGTH	4.80M
FIRST BAY WEIGHT	350KG
ADDITIONAL BAY WEIGHT	130KG
MAXIMUM LOAD AT APEX	100KG
ROOF & WALL PVC	650gm / FLAME RETARDANT TO
	BS5438 / M2
WIND LOADING	70MPH

For more information on our products and services visit our website:

http://www.crockersmarqueemanufacturing.co.uk



SIZE –12mtr WIDE	SPECIFICATION
EAVE HEIGHT	2.20M
APEX HEIGHT	4.95M
BAY-LENGTH	3.0M
ROOF PITCH	22 DEGREES
ALUMINIUM PROFILE	106mm X 59mm BOX SECTION /
	ANODISED TO AA20
LONGEST LENGTH	6.40M
FIRST BAY WEIGHT	650KG
ADDITIONAL BAY WEIGHT	240KG
MAXIMUM LOAD AT APEX	100KG
ROOF & WALL PVC	650gm / FLAME RETARDANT TO
	BS5438 / M2
WIND LOADING	70MPH

For more information on our products and services visit our website:

http://www.crockersmarqueemanufacturing.co.uk



SIZE –15mtr WIDE	SPECIFICATION
EAVE HEIGHT	2.20M (optional to go higher)
ADEX HEIGHT	5 / 5 / /

2.20101 (optional to go nigher)
5.45M
3.0M
22 DEGREES
148mm X 68mm BOX SECTION /
ANODISED TO AA20
7.92M
820KG
295KG
120KG
650gm / FLAME RETARDANT TO
BS5438 / M2
70MPH

For more information on our products and services visit our website:

http://www.crockersmarqueemanufacturing.co.uk



SIZE –16mtr WIDE	SPECIFICATION
EAVE HEIGHT	2.50m
APEX HEIGHT	5.80M
BAY-LENGTH	3.0 or 4.0m
ROOF PITCH	22 DEGREES
ALUMINIUM PROFILE	226mm X 108mm BOX SECTION /
	ANODISED TO AA20
LONGEST LENGTH	8.62M
FIRST BAY WEIGHT	1100KG
ADDITIONAL BAY WEIGHT	400KG
MAXIMUM LOAD AT APEX	350KG
ROOF & WALL PVC	650gm / FLAME RETARDANT TO
	BS5438 / M2
WIND LOADING	100MPH
SNOW LOADING	100mm

For more information on our products and services visit our website:

http://www.crockersmarqueemanufacturing.co.uk



SIZE –20mtr WIDE	SPECIFICATION
EAVE HEIGHT	2.50m
APEX HEIGHT	6.75m
BAY-LENGTH	3.0 or 4.0m
ROOF PITCH	22 DEGREES
ALUMINIUM PROFILE	226mm X 108mm BOX SECTION /
	ANODISED TO AA20
LONGEST LENGTH	8.62M (split Rafter extension)
FIRST BAY WEIGHT	1290KG
ADDITIONAL BAY WEIGHT	500KG
MAXIMUM LOAD AT APEX	350KG
ROOF & WALL PVC	650gm / FLAME RETARDANT TO
	BS5438 / M2
WIND LOADING	100MPH
SNOW LOADING	100mm

For more information on our products and services visit our website:

http://www.crockersmarqueemanufacturing.co.uk